



## Highlights

### Intelligent storage:

- Make virtualization predictable with storage built with the industry's first and leading VM-Aware storage architecture.

### Infrastructure insight:

- Keep your virtual environment running the way it should with an end-to-end picture of your virtual workloads.

### VM control:

- Be in control of your virtual environment with granular data management.

*"Compared to our previous storage, Tintri VMstore can run ten times the VMs in less than a tenth of the data center footprint, and reduce latency by 98 percent at the same time. They helped us realize a fundamental goal of virtualization: consolidating workloads and increasing resource utilization, both on hosts and on storage."*

—Mike Torgersen,  
vice president of IT at ParAccel

# Tintri VMstore™ T600 Series

Tintri Zero Management Storage™ is designed to address the needs of virtualization and cloud environments. Traditional storage is a mismatch for the specialized demands of virtualization, requiring complex configuration, significant over-provisioning and ongoing optimization and management. Tintri VMstore addresses the challenges traditional storage platforms pose when virtualizing critical server workloads such as Microsoft® Exchange®, Microsoft® SQL Server®, Microsoft® SharePoint®, Oracle® and SAP® databases as well as end-user desktops.

Built using the industry's first and leading VM-Aware Storage architecture, the fourth-generation Tintri VMstore T600 series understands and operates at the VM and vDisk level—eliminating mundane storage management tasks and delivering substantial improvements in performance and density over legacy storage. Tintri VMstore T600 series is ideal for midsize and large enterprise virtual environments with a variety of workloads such as VDI deployments with mixed end-users, business-critical applications and development and test environments.

Whether you are an IT architect, administrator or manager, Tintri VMstore can help you:

### Realize the full potential of virtualization with intelligent storage.

- Set-up in minutes with support for multiple VMware vCenter servers. Only deal with auto aligned VMs and vDisks, not LUNs and volumes—eliminate any complex configuration or ongoing tuning.
- Get the performance of flash with the economics of HDD with Tintri Flash First Design, delivering 99 percent of IO from flash.
- Serve hundreds of different types of VM workloads from a single VMstore with vDisk-level QoS and performance allocation —eradicate the impact from noisy neighbors on other virtual workloads.

### Eliminate bottlenecks and troubleshooting overhead with infrastructure insight.

- Get a single view of all VMs stored and identify performance and capacity trends without dealing with underlying storage.
- Instantly identify performance hot spots at the hypervisor, network and storage levels with comprehensive performance visualization.
- Leverage Tintri Global Center to monitor and administer multiple VMstore systems and resident VMs from a single control pane.

### Stay in control of virtualization environment and invest more in innovation.

- Protect individual VMs with customizable policies for VM-level instant space-efficient snapshots — eliminating the complexity of LUNs and volumes mapping.
- Deploy affordable WAN-efficient replication at the VM-level using as much as 95 percent less bandwidth with block-level global deduplication and compression over the wire.
- Create hundreds of high performance zero-space VM clones locally or remotely. Ideal for speeding up VDI deployments and for development/test workloads.

**VMstore T650**

Ideal for highly virtualized enterprise environments requiring performance and scalability for thousands of VMs

**VMstore T620**

Ideal for midsized and remote/branch office environments requiring efficiency to handle hundreds of different types of VMs

<b>Controller</b>	Type	Gen 4 Dual Controller (active-standby) supporting Tintri OS 2.1 and up	
	<b>Capacity</b>	Raw	49.32 TB (9x 480 GB SSD + 15x 3 TB HDD)
Usable		33.5 TB	13.5 TB
<b>Networking</b>	Management	Included: 2x 1GbE (RJ-45)	Included: 2x 1GbE (RJ-45)
	Data	Included: 2x 10GbE (SFP+ or 10GBASE-T)	Included: 2x 1GbE (RJ-45) Optional: 2x 10GbE (SFP+ or 10GBASE-T)
	Replication	Included: 2x 1GbE (RJ-45) Optional: 2x 1GbE (SFP)	Optional: 2x 1GbE (RJ-45) Optional: 2x 1GbE (SFP)
	Software functionality	Ethernet failover link aggregation, VLAN tagging, IP aliasing, LACP	
<b>Physical specifications</b>	Rackspace	4 RU rackmount	
	Dimensions (HxWxD)	7" (178 mm) x 19" (483 mm) x 28.5" (724 mm)	
	Weight	108 lbs/49.1 kg	106 lbs/48.2 kg
<b>Power &amp; environmental</b>	Power	100-140 V — 7 A (nom) / 8.5 A (max) @ 50-60 Hz	100-140 V — 6 A (nom) / 7.5 A (max) @ 50-60 Hz
		180-240 V — 4 A (nom) / 4.8 A (max) @ 50-60 Hz	180-240 V — 3.5 A (nom) / 4.2 A (max) @ 50-60 Hz
		700 W (nom) / 1,000 W (max)	600 W (nom) / 800 W (max)
		Redundant hot swappable dual power supplies with a choice of NEMA or IEC plug types	
	Thermal	2,400 BTU (nom) / 3,415 BTU (max)	2,050 BTU (nom) / 2,730 BTU (max)
	Operating temperature	5 °C to 40 °C (41 °F to 104 °F)	
	Non-operating temperature	-40 °C to 70 °C (-40 °F to 158 °F)	
	Operating humidity	8% to 90% (non-condensing)	
Non-operating humidity	5% to 95% (non-condensing)		
<b>Regulatory</b>	Compliance	RoHS	
	Safety	CSA/EN/IEC 60950-1, GOST	
	Emissions	FCC Class A, ICES-003 Class A, VCCI Class A	
	Agency	CE, CSA, VCCI, CCC	
<b>Product support</b>	Administration	Web interface (https), KVM (console), SMTP for alerts	
	Support	Proactive support with automated phone home and case creation	
<b>Virtualization SW support</b>	Hypervisor	VMware vSphere 4.x and 5.x (NFS)	
	Desktop virtualization	VMware Horizon View and Citrix XenDesktop	

